


ALA-L 011.840.1530/DALI



Colours	Article no.	EAN
	667502	4043544776723







Description

- light-insert made from sheet steel with integrated LED modules
- no UV and thermal emissions
- almost all strip light lengths can be realised
- diffuser made from clear polished PMMA
- tool-free fastening into mounting track via turning bolts
- pre-fabricated for 7-pole through-wiring
- ballast (LED converter DALI, dimmable) integrated

Lighting data / Norms

Lamps	LED Modul / CRI 80 / 4000 K
Lifetime	L90 B50 50.000 h L80 B50 100.000 h L80 B20 50.000 h
System power	73.0 W
Luminaire luminous flux	11700 lm
System efficiency	161.15 lm/W
Module efficiency	193.50 lm/W
UGR class	≤22
Supply voltage	220 - 240 V / 50 - 60 Hz
Protection class	I
Type of protection	IP20


Dimensions / Weights

Length	1530 mm
Width	62 mm
Height	45 mm
Net weight	3.06 kg
Gross weight	3.22 kg

© LTS Licht & Leuchten GmbH · lts-light.com · Technical data are subject to change. · Version: 29.03.2024


ALA-L 011.840.1530/DALI

Ala | Light-Insert (1xLED 73W 840/4000K 11700lm)



	C0	C90	C180	C270
0°	449	449	449	449
15°	490	504	490	504
30°	522	584	522	584
45°	255	259	255	259
60°	16	18	16	18
75°	10	13	10	13
90°	2	0	2	0

cd / 1000 lm



η	LED
Efficiency	160 lm/W
Direct/Indirect	↓ 100% / ↑ 0%
System Power	73 W
UGR	X=4H, Y=8H
Reflection factors	70/50/20
UGR C0/C180	21.9
UGR C90/C270	22.4
CIE Flux Codes	79 97 99 100 100
Ra/CRI	>80

LTS

Accessories



ALA-T 3065
Ala mounting track
(length: 3065 mm)



ALA-T 4595
Ala mounting track
(length: 4595 mm)



ALA-Z001
end covers (2 pieces) for mounting tracks ALA-T



ALA-Z004
end covers (2 pieces) for light-inserts ALA-L



ALA-Z100
connection kit with earthing



ALA-Z102.00
linear connector



ALA-Z103
wire-rope kit 1-fold
(length: 3000 mm)



ALA-Z104
ceiling mounting bracket
(1 piece)



ALA-Z107
track suspension



ALA-Z115/1530
connecting cable for Ala row installation
(length: 1530 mm, 5-core)



ALA-Z115/1530/DALI
connecting cable for Ala row installation
(length: 1530 mm, DALI, 7-core)



ALA-Z BA/1530
blind cover
(length: 1500 mm)

© LTS Licht & Leuchten GmbH · lts-light.com · Technical data are subject to change. · Version: 29.03.2024

ALA-L 011.840.1530/DALI

Accessories



ZB-OR DONGLE
Organic Response IR dongle kit



ZB-OR GATEWAY
Organic Response IoT Gateway Cascade Series



ZB-OR-A SENSOR
Organic Response sensor for surface mounting



ZB-OR-P SENSOR/3000
Organic Response sensor for pendant mounting

© LTS Licht & Leuchten GmbH · lts-light.com · Technical data are subject to change. · Version: 29.03.2024