

DCL-P-A1 001/3000



Colours	Article no.	EAN
silver anodised	663645	4043544792839
black	663646	4043544792846
white	663647	4043544792853

Description

- decoLine surface-mounted profile A1 (length: 3000 mm) for accentuating lighting design
- elegant extruded aluminium profile with 20° bevel for easy surface mounting
- diffuser covers opal/clear, end covers, fixing clips and LED light strips to be ordered separately

Notes

The linear thermal expansion of the aluminium profile is about 1.2 mm per meter at dT = 20 Kelvin.

Lighting data / Norms


Type of protection IP20

Dimensions / Weights

Length	3000 mm
Width	19 mm
Height	20 mm
Net weight	0.84 kg
Gross weight	0.99 kg

Special dimensions

length = profile length + (2 x 2 mm thickness of end covers)



DCL-P-A1 001/3000

Accessories



CONV 024.035/DALI
LED converter 35 W / dimmable DALI



CONV 024.060
LED converter 60 W / On-Off



CONV 024.060/DALI
LED converter 60 W / dimmable DALI



CONV 024.100
LED converter 100 W / On-Off



CONV 024.100/DALI
LED converter 100 W / dimmable DALI




CONV 024.200
LED converter 200 W / On-Off




DCL-L 08.927.10
LED light strip 8 W / 2700 K



DCL-L 08.930.10
LED light strip 8 W / 3000 K



DCL-L 08.940.10
LED light strip 8 W / 4000 K



DCL-L 15.927.10
LED light strip 15 W / 2700 K




DCL-L 15.930.10
LED light strip 15 W / 3000 K




DCL-L 15.940.10
LED light strip 15 W / 4000 K

DCL-P-A1 001/3000


Accessories



DCL-L 20.927.10
LED light strip 20 W / 2700 K



DCL-L 20.930.10
LED light strip 20 W / 3000 K




DCL-L 20.940.10
LED light strip 20 W / 4000 K



DCL-Z102.00
connector kit linear



DCL-Z-A1 001/L
end cover A1 left
(1 piece)



DCL-Z-A1 001/R
end cover A1 right
(1 piece)



DCL-Z-A1 115
mounting clip A1
(1 piece)



DCL-Z-A1U1 AKB/3000
diffuser cover A1/U1 flush clear
(length: 3000 mm)



DCL-Z-A1U1 AOB/3000
diffuser cover A1/U1 flush opal
(length: 3000 mm)