### MAXIMUM EFFICIENCY

THE ORYO SERIES



# AT HOME IN RETAIL

ONE SERIES.

MANY POSSIBILITIES.

The new ORYO luminaire series from LTS is completely redefining light in the retail sector. Thanks to the different recessed, pendant or track-mounted luminaire variants, very different areas can be designed with a single luminaire range. Every ORYO variant reflects the coherent design language in an elegant conical shape. The small yet efficient spotlight impresses with its high power level and good light pattern at a minimal size. It brings a new focus with its tapered shape and perfectly places the products in the limelight.









### SMALL YET POWERFUL

## **ORYO 100**TO 2000 LM

ORYO 200 TO 3500 LM

### **ORYO TRACK-MOUNTED SPOTLIGHT**

Despite the very compact design, the new ORYO series has a high level of luminous flux. With its elegant and conical shape, ORYO offers efficient and flexible lighting solutions for retail and hospitality. The result: perfect presentation of your products.

### ORYO PENDANT LUMINAIRE

With its conical design, the elegant pendant luminaire is a bright spot for all areas of hospitality. The look can be customised thanks to the different variants and the numerous accessories. With this level of flexibility, ORYO can be used in a wide variety of areas.



# **ELEGANT**AND EFFICIENT



### COHERENT AND VERSATILE



### **ORYO RECESSED SPOTLIGHT**

With the ORYO luminaire series, we have created a coherent family that can meet all requirements in retail and hospitality. The look can be customised in line with each area and function using the extensive range of accessories. Yet, the same design language always shines through.







The ORYO luminaire series meets all requirements in retail - for perfect product staging.

The elegant ORYO pendant luminaire is a bright spot for all areas of hospitality.



### ORYO SERIES

	ORYO 100	ORYO 200
COLOURS	black	black
	white	white
	silver	silver
	RAL*	RAL*
DALI	optional	optional
BEAM ANGLE	15°	15°
	25°	25°
	45°	45°
SYSTEM POWER	18, 20, 20	30
LUMINOUS FLUX	1460 lm	3080 lm
AT 4000K	1820 lm	3290 lm
	1940 lm	3520 lm
CRI	90	90
EFFICIENCY	81 lm/W	102 lm/W
AT 4000K	91 lm/W	109 lm/W
	97 lm/W	117 lm/W
COLOUR TEMPERATURE	2700 K	2700 K
	3000 K	3000 K
	4000 K	4000 K
VARIANTS	Recessed spotlight	Recessed spotlight
	Track-mounted spotlight	Track-mounted spotlight
	Pendant variant	Pendant variant

### RECESSED SPOTLIGHT




ORYO recessed spotlight 100



ORYO recessed spotlight 200

### COLOURS



### TRACK-MOUNTED SPOTLIGHT



**ORYO** track-mounted spotlight 100



**ORYO** track-mounted spotlight 200

### SHIELDS



available for both sizes

### PENDANT VARIANT



ORYO pendant 100



ORYO pendant 200



ORYO pendant with copper-coloured shield

LTS Licht & Leuchten GmbH Waldesch 24 88069 Tettnang

T +49 7542 9307-0 info@lts-light.con lts-light.com